

BA										MAR										MHB										BID										MDG										BBK																																																																																																																																	
BA 1 (x=1)										BA 2 (1/2)										BA 3 (1/03)										BA 7+ (10)										MAR 1/2 (x=1/2)										MAR 3/4+ (54/70)										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)									
AM SU stud emp 10.00-10.45										PR SU stud 10.00-10.45										BA stud pro Res Termin e.o.A.										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
PR SU stud 10.45-11.30										PR SU stud 10.45-11.30										PR SU stud 10.45-11.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 SU stud 12.30-13.15										K03 SU stud 12.30-13.15										K03 SU stud 12.30-13.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 13.15-14.00										K03 S stud 13.15-14.00										K03 S stud 13.15-14.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 14.00-14.45										K03 S stud 14.00-14.45										K03 S stud 14.00-14.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 14.45-15.30										K03 S stud 14.45-15.30										K03 S stud 14.45-15.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 15.30-16.15										K03 S stud 15.30-16.15										K03 S stud 15.30-16.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 16.15-17.00										K03 S stud 16.15-17.00										K03 S stud 16.15-17.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 17.00-17.45										K03 S stud 17.00-17.45										K03 S stud 17.00-17.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 17.45-18.30										K03 S stud 17.45-18.30										K03 S stud 17.45-18.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 18.30-19.15										K03 S stud 18.30-19.15										K03 S stud 18.30-19.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 19.15-20.00										K03 S stud 19.15-20.00										K03 S stud 19.15-20.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 20.00-20.45										K03 S stud 20.00-20.45										K03 S stud 20.00-20.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 20.45-21.30										K03 S stud 20.45-21.30										K03 S stud 20.45-21.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 21.30-22.15										K03 S stud 21.30-22.15										K03 S stud 21.30-22.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 22.15-23.00										K03 S stud 22.15-23.00										K03 S stud 22.15-23.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 23.00-23.45										K03 S stud 23.00-23.45										K03 S stud 23.00-23.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 23.45-00.30										K03 S stud 23.45-00.30										K03 S stud 23.45-00.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 00.30-01.15										K03 S stud 00.30-01.15										K03 S stud 00.30-01.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 01.15-02.00										K03 S stud 01.15-02.00										K03 S stud 01.15-02.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 02.00-02.45										K03 S stud 02.00-02.45										K03 S stud 02.00-02.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 02.45-03.30										K03 S stud 02.45-03.30										K03 S stud 02.45-03.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 03.30-04.15										K03 S stud 03.30-04.15										K03 S stud 03.30-04.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 04.15-05.00										K03 S stud 04.15-05.00										K03 S stud 04.15-05.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 05.00-05.45										K03 S stud 05.00-05.45										K03 S stud 05.00-05.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 05.45-06.30										K03 S stud 05.45-06.30										K03 S stud 05.45-06.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 06.30-07.15										K03 S stud 06.30-07.15										K03 S stud 06.30-07.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 07.15-08.00										K03 S stud 07.15-08.00										K03 S stud 07.15-08.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 08.00-08.45										K03 S stud 08.00-08.45										K03 S stud 08.00-08.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 08.45-09.30										K03 S stud 08.45-09.30										K03 S stud 08.45-09.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 09.30-10.15										K03 S stud 09.30-10.15										K03 S stud 09.30-10.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 10.15-11.00										K03 S stud 10.15-11.00										K03 S stud 10.15-11.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 11.00-11.45										K03 S stud 11.00-11.45										K03 S stud 11.00-11.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 11.45-12.30										K03 S stud 11.45-12.30										K03 S stud 11.45-12.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 12.30-13.15										K03 S stud 12.30-13.15										K03 S stud 12.30-13.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 13.15-14.00										K03 S stud 13.15-14.00										K03 S stud 13.15-14.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 14.00-14.45										K03 S stud 14.00-14.45										K03 S stud 14.00-14.45										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 14.45-15.30										K03 S stud 14.45-15.30										K03 S stud 14.45-15.30										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 15.30-16.15										K03 S stud 15.30-16.15										K03 S stud 15.30-16.15										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 16.15-17.00										K03 S stud 16.15-17.00										K03 S stud 16.15-17.00										MHB 1/2 (x=1/2)										MHB 3/4+ (21/20)										BID 1 (x=1)										BID 1 (60)										BID 2 (40)										BID 2+ (45)										MDG1/2 (x=1/2)										MDG1/3 (x=1)										BBK 1 (x=1)										BBK 2 (x=1)										BBK 3 (40)										BBK 7+ (12)																																							
K03 S stud 17.00-17.45										K03 S stud 17.0																																																																																																																																																																									